

Output: ☐ Sequences ☐ Sequences +Audio File ☐ Movies Video Only ☒ Movies Video+Audio ☒ DCP / IMF ☐ Audio Only ☐ To Cache

Type: IMF ▾ Netflix SDR ▾

Video: Codec JPEG 2000 ▾

Filename: picture_%{RandomUUID}.mxf ↺

Tracks

Track #	Channels	Sources	Language	Note
1	auto	1-32 (L,R,C,LFE,LS,RS,LC,...)	en	



Audio: Channels Auto ▾ Edit Channel Layout
Language English ▾ en

Whether images are shot on film or using one of the many digital cameras now available, image media is being acquired and stored digitally in a bewildering range of file and movie formats.

A competent post-production system needs to be able to handle and transcode all of these to ensure optimal workflows. Baselight supports an extensive range of image and movie formats that employ many different codecs and wrapper formats.

File formats

The table on the following pages shows the formats that are supported natively by Baselight and their common extensions; it also shows whether each format can be read or written, and other relevant details such as bit depth and colour channels.

Reading and writing formats

Some formats can be read and written by Baselight; others can be read only or written only. There are many reasons for this.

Decoders and codecs

A decoder just allows a movie file format to be read, while a codec allows the format to be both read and written.

Camera raw source formats

Some digital cameras produce raw images with the original sensor data saved in a Bayer format. To visualise an image, it must be de-Bayered and converted to RGB. There is no benefit to Baselight writing an image in a Bayer format - raw images are used as source only, and so these formats will be decoded (read) but never written.

Format variations

Some formats are tightly specified so that it is possible to accurately read and write compliant files. Some formats, however, are much looser, and can allow for custom data to be included in proprietary fields. Most professional applications generate compliant files that are read easily within Baselight. As far as possible, Baselight also reads and handles commonly used proprietary format extensions.

Resolution

All Baselight systems are unlimited in terms of input image resolution and output render resolutions.

GPU JPEG 2000 acceleration

The Comprinato JPEG 2000 encode and decode GPU solution (optional) supports acceleration for IMF, DCP, JPEG 2000 codestream files (J2C) and JPEG 2000 encoded MXF movies.

Continuing development

Baselight is continually updated with support for new formats and codecs. As new formats arise and become prevalent, they are usually included within Baselight. If you require a format for your workflow that is not available already, contact FilmLight to discuss your needs.

Codecs

Sequential image files

Format	Extension		Depth/channels	Notes
ARRIRAW	.ari	Read only	12/16 bit	Raw camera format. Decoded with ARRI Image SDK
ARRIRAW (HDE-compressed)	.arx	Read only		Codex lossless High Density Encoding optimised for Bayer pattern images
Canon RMF	.rmf	Read only		Canon Raw Media Format
Cineon	.cin	•	10 bit RGB	Supports keycode
Cintel RAW	.cri	Read only		Blackmagic Cintel scanner format
DALSA RAW	.dpx	Read only	14 bit	Raw camera format; read only
DPX	.dpx	•	10 bit RGB; 16 bit grey, RGB, 8/10/16 bit 4:2:2/4:4:4 YCbCr	Can also read 8 bit grey; 10 bit grey and RGBA; 12 bit, 16 bit RGBA and 10 bit YCC. Supports timecode, keycode Northlight IR matte and Scanity 2-bit dirt matte
DPX-C	.dpx	Read only		Cineform DPX format
HEIC/HEIF	.heic/.heif	Read only		
JPEG	.jpg/.jpeg	•	8 bit RGB	Can also read 8 bit grey and RGBA
JPEG 2000	.jp2	•		
JPEG 2000 Codestream	.j2c/.j2k	•		Writes DCI and IMF-compliant JPEG 2000 Codestream files
OpenEXR	.exr/.sxr/.mxf	•	Unlimited channels/ layers	Read-only support for multi-part and multi-view OpenEXR files
Panasonic V-RAW	.vraw	Read only		
PGM	.pgm	•	8 bit grey	
Photron RAWW	.raww	Read only		Raw camera format; read only
PNG	.png	•	8/16 bit; grey, RGB/A	
PPM	.ppm	•	8/16 bit; RGB	
RGB	.rgb	•	8/16 bit; grey, RGB/A	Compressed or uncompressed
RUST RAW	.dpx	Read only	10 bit	Raw camera format; read only
SGI	.sgi	•	8/16 bit; grey, RGB/A	Compressed or uncompressed
Targa	.tga	•	8 bit; grey, RGB/A	
TIFF	.tif/.tiff	•	32 bit RGB/A; 8/12/16 bit grey, RGB/A	12 bit conforms to DCI spec
dSLR - Canon raw 2	.cr2	Read only		Raw dSLR stills camera format; read only
dSLR - Canon raw 3	.cr3	Read only		Raw dSLR stills camera format; read only
dSLR - Nikon raw	.nef	Read only		Raw dSLR stills camera format; read only
dSLR - Kodak raw	.dcr/.kdc	Read only		Raw dSLR stills camera format; read only
dSLR - Olympus raw	.orf	Read only		Raw dSLR stills camera format; read only
dSLR - Sony raw	.arw/.sr2	Read only		Raw dSLR stills camera format; read only
dSLR - Adobe Digital Neg.	.dng	Read only		Raw dSLR stills camera format; read only
dSLR - Panasonic raw	.rw2	Read only		Raw dSLR stills camera format; read only
dSLR - Hasselblad raw	.3fr	Read only		Raw dSLR stills camera format; read only
dSLR - Mamiya raw	.mef	Read only		Raw dSLR stills camera format; read only
dSLR - Pentax raw	.pef	Read only		Raw dSLR stills camera format; read only
dSLR - Others	.erf/.mos/.raw	Read only		Raw dSLR stills camera format; read only

Movie files (MXF)

Format	Extension	Depth/channels	Notes
11 4:2:2	.mxf	• 8/10 bit YCbCr	
11 4:4:4	.mxf	• 10 bit 4:4:4 RGB	
ARRIRAW	.mxf	Read only	From Alexa cameras; supports HDE compression
AVC Intra 50/100 (H.264)	.mxf	Read only	Up to 16-bit
Canon EOS	.mxf	Read only	Including C70, C200, C300, C400, C700, R5, R8; supports split-file media
Canon X3 HEVC	.mxf	Read only	
Cinema DNG	.mxf	Read only	Supports lossy compression (e.g. Blackmagic URSA)
D-10 IMX/MPEG	.mxf	•	MPEG 30, 40, 50
DNx444	.mxf	•	444 DNxHD
DNxHD	.mxf	•	DNxHD TR+, TR-SQ, LB, SQ, HQ, HQX (10 bit), 444
DNxHR	.mxf	• RGB/A, YCC/A	DNxHR LB, SQ, HQ, HQX (10 bit), HQX (12 bit), 444
DNxUncompressed	.mxf	•	
Dolby Vision Mezzanine	.mxf		Only appears if Dolby Vision mastering display has been selected in scene settings. Dolby Vision metadata is write-only
DV25/DV50	.mxf	•	
DVCPRO	.mxf	Read only	
DVCPRO HD	.mxf	Read only	
JPEG 2000	.mxf	•	Writes DCI and IMF-compliant MXFs
Motion JPEG (2:1, 4:1 etc.)	.mxf	•	
ProRes	.mxf	•	Uses OP1a wrapper to write Apple ProRes 422 Proxy, 422 LT, 422, 422 HQ, 4444, 4444 XQ
Panasonic EVA1 RAW	.mxf	Read only	
Panasonic Varicam	.mxf	Read only	Including Varicam LT
Sony RAW	.mxf	Read only	Including F5, F55, F65, FS700, VENICE/CineAltaV; also supports high frame rate (HFR) and F65 RAW-Lite
Sony X-OCN	.mxf	Read only	Including X-OCN XT, X-OCN LT, X-OCN ST; supports 4K 6.5, 4K 2.39:1, 6K 17.9, 6K 185:1, 6K 16.9, 6K 2.39:1 bitstreams
Sony XAVC	.mxf	• 12/10/8 bit	Supports long-GOP data; XAVC proxy extension is .mp4
Sony XAVC H	.mxf	Read only	10 bit 4:2:2
SStP/L2 4:2:2	.mxf	•	4:2:2 YCbCr
SStP/L2 4:4:4	.mxf	•	4:4:4 RGB; 10/12 bit
XDCAM HD, HD 4:2:2, EX (MPEG2)	.mxf	•	YCbCr

Movie files (AVI)

Format	Extension	Depth/channels	Notes
Cineform	.avi	Read only	
DV	.avi	•	
Uncompressed 4:2:2	.avi	• 10 bit	
Motion JPEG	.avi	•	
MSMPeg 4v3 (DivX3)	.avi	•	Microsoft DivX 3
MSMPeg 4v3 (WMP)	.avi	•	Microsoft WMP

Movie files (Quicktime)

Format	Extension	Depth/channels	Notes
Animation (RLE)	.mov	•	
Apple ProRes RAW	.mov	Read only	
AVC Intra	.mov	Read only	
Avid 1:1x	.mov	Read only	
Avid DNxHD	.mov	Read only	DNxHD 36, 115, 120, 145, 175, 185, 220, 220x
Avid IMX	.mov	Read only	
Cineform	.mov	Read only	HD, 2K, 4K
Component Video YUV422	.mov	•	
DNxHR	.mov	•	DNxHR 444, HQX (12 bit), HQ, SQ, LB
DV	.mov	•	PAL and NTSC
DVCPRO	.mov	•	PAL and NTSC
DVCPRO50	.mov	•	PAL and NTSC
H.263	.mov	•	
H.263+	.mov	•	
H.264	.mov	•	
HEVC	.mov	•	
JPEG	.mov	•	
Motion JPEG A	.mov	•	
MPEG4	.mov	•	
Packed YUV	.mov	•	8 bit YCbCr
Planar YUV	.mov	•	420/444 YUV; 4444 YUVA
PNG	.mov	•	With alpha
ProRes 422	.mov	•	LT/Proxy/HQ; uses Apple's ProRes library to encode/decode
ProRes 4444	.mov	•	XQ; uses Apple's ProRes library to encode/decode
UT Video	.mov	Read only	
XDCAM EX	.mov	Read only	720p 24/25/30/50/60; 1080i 50/60; 1080p 24/25/30
XDCAM HD	.mov	Read only	1080i 50/60; 1080p 24/25/30
XDCAM HD422	.mov	•	720p 50/60; 1080i 50/60; 1080p 24/25/30
XF-AVC	.mov	Read only	10-bit 422; 12-bit 444 Supports long-GOP data for 10-bit 422

Movie files (3GP)

Format	Extension	Depth/channels	Notes
H.263	.3gp	•	
MPEG-4	.3gp	•	

Movie files (MP4)

Format	Extension	Depth/channels	Notes
AVC Intra	.mp4	Read only	
H.263	.mp4	•	
H.264	.mp4	•	
HEVC	.mp4	•	
MPEG-4	.mp4	•	
MPEG-2	.mp4	Read only	Supports long-GOP MPEG2 data; e.g. from Sony F3 camera
Sony XAVC S	.mp4	Read only	
XF-AVC	.mp4	Read only 10-bit 4:2:2; 12-bit 4:4:4	Supports long-GOP data for 10 bit 4:2:2

Movie files (Other)

Format	Extension	Depth/channels	Notes
BRAW	.braw	Read only	Blackmagic Design raw camera format; including URSA Cine 17K 65, URSA Cine 12K LF, URSA Mini Pro 12K OLPF, URSA Mini Pro 12K, URSA Broadcast, PYXIS 6K, Cinema Camera 6K, Micro Studio Camera 4K G2, Pocket Cinema Camera 6K G2, Pocket Cinema Camera 6K
Canon CRM	.crm	Read only	Canon RAW Light file
IMF	n/a	•	Supports complete and supplemental IMF packages
NRAW	.nev	Read only	Nikon RAW video media format
Phantom	.cine	Read only Raw, RGB	
RED	.R3D	Read only All	
Silicon Imaging	.siv	Read only 10 bit log/12 bit linear	SIV Raw
Subtitles	.xml	Read only	CineCanvas and SMPTE ST 428-7 subtitle XML

Digital Cinema Package (DCP)

Format	Extension	Depth/channels	Notes
SMPTE	n/a	•	Supports encrypted and unencrypted packages.
Interop	n/a	•	Supports encrypted and unencrypted packages.